| L Number |            | Search Text   | I DB                          | Time stamp                           |
|----------|------------|---|-------------------------------|--------------------------------------|
| 1        | Hits<br>39 | mesh with faces with 3d   | USPAT;                        | 2004/07/11 13:01                     |
| 2        | 18         | (mesh with faces with 3d) and encod\$4  | DERWENT<br>USPAT;             | 2004/07/11 12:57                     |
| 3        | 4          | ((mesh with faces with 3d) and encod\$4)  | DERWENT<br>USPAT;             | 2004/07/11 13:03                     |
| 4        | 13         | <pre>and wavelet ((mesh with faces with 3d) and encod\$4) and tree</pre>  | DERWENT<br>USPAT;<br>DERWENT  | 2004/07/11 12:59                     |
| 5        | 12         | (((mesh with faces with 3d) and encod\$4) and tree) and node  | USPAT;<br>DERWENT             | 2004/07/11 12:59                     |
| 6        | 11         | <pre>((((mesh with faces with 3d) and encod\$4) and tree) and node) and (vertex or vertice)</pre>   | USPAT;<br>DERWENT             | 2004/07/11 12:59                     |
| 7        | 11         | <pre>(((((mesh with faces with 3d) and encod\$4) and tree) and node) and (vertex or vertice)) and object</pre>  | USPAT;<br>DERWENT             | 2004/07/11 13:00                     |
| 8        | 10         | ((((((mesh with faces with 3d) and encod\$4) and tree) and node) and (vertex or vertice)) and object) and coordinate  | USPAT;<br>DERWENT             | 2004/07/11 13:00                     |
| 9        | 0          | ((((((mesh with faces with 3d) and encod\$4) and tree) and node) and (vertex or vertice)) and object) and coordinate) and offspring                         | USPAT;<br>DERWENT             | 2004/07/11 13:08                     |
| 10       | 3          | <pre>((((((mesh with faces with 3d) and<br/>encod\$4) and tree) and node) and (vertex<br/>or vertice)) and object) and coordinate)<br/>and coefficent</pre> | USPAT;<br>DERWENT             | 2004/07/11 13:01                     |
| 11       | 4          | mesh with faces with 3d   | EPO; JPO                      | 2004/07/11 13:05                     |
| 12       | 0          | (mesh with faces with 3d) and tree  | EPO; JPO                      | 2004/07/11 13:01                     |
| 13       | 5          | (mesh with faces with 3d) and wavelet   | USPAT;<br>DERWENT             | 2004/07/11 13:03                     |
| 14       | 5          | ((mesh with faces with 3d) and wavelet) and tree  | USPAT;<br>DERWENT             | 2004/07/11 13:05                     |
| 16       | 1          | (mesh and encod\$4 and wavelet) and tree  | EPO; JPO                      | 2004/07/11 13:06                     |
| 15<br>17 | 2<br>81    | mesh and encod\$4 and wavelet<br>mesh and encod\$4 and wavelet  | EPO; JPO<br>USPAT;<br>DERWENT | 2004/07/11 13:07<br>2004/07/11 13:07 |
| 18       | 32         | (mesh and encod\$4 and wavelet) and tree  | USPAT;<br>DERWENT             | 2004/07/11 13:07                     |
| 19       | 20         | ((mesh and encod\$4 and wavelet) and tree) and face   | USPAT;<br>DERWENT             | 2004/07/11 13:07                     |
| 20       | 17         | (((mesh and encod\$4 and wavelet) and tree) and face) and 3d  | USPAT;<br>DERWENT             | 2004/07/11 13:07                     |
| 21       | 17         | ((((mesh and encod\$4 and wavelet) and<br>tree) and face) and 3d) and object  | USPAT;<br>DERWENT             | 2004/07/11 13:07                     |
| 22       | 2          | (((((mesh and encod\$4 and wavelet) and tree) and face) and 3d) and object) and facet   | USPAT;<br>DERWENT             | 2004/07/11 13:08                     |
| 23       | 0          | (((((mesh and encod\$4 and wavelet) and tree) and face) and 3d) and object) and   | USPAT;<br>DERWENT             | 2004/07/11 13:08                     |
| 24       | 16         | offspring<br>(((((mesh and encod\$4 and wavelet) and<br>tree) and face) and 3d) and object) and   | USPAT;<br>DERWENT             | 2004/07/11 13:09                     |
| 25       | 10         | <pre>coordinate (((((mesh and encod\$4 and wavelet) and tree) and face) and 3d) and object) and</pre>   | USPAT;<br>DERWENT             | 2004/07/11 13:23                     |
| 26       | 386        | coordinate) and coefficient 382/240.ccls.   | USPAT;                        | 2004/07/11 13:23                     |
| 27       | 17         | 382/240.ccls. and mesh  | DERWENT<br>USPAT;<br>DERWENT  | 2004/07/11 13:23                     |
| 28       | 9          | (382/240.ccls. and mesh) and tree   | USPAT;<br>DERWENT             | 2004/07/11 13:23                     |
| 29       | 4          | ((382/240.ccls. and mesh) and tree) and wavelet   | USPAT;<br>DERWENT             | 2004/07/11 13:24                     |
| 30       | 1          | (((382/240.ccls. and mesh) and tree) and wavelet) and (face or facet)   | USPAT;<br>DERWENT             | 2004/07/11 13:24                     |

|   | บ | 1 | Do       | cument<br>ID | Tssue<br>Date | Page<br>s | Title   | Current<br>OR |
|---|---|---|----------|--------------|---------------|-----------|---|---------------|
| 1 |   |   | US<br>B2 | 6711299      | 20040323      | 22        | Wavelet transformation of dithered quantized/reduced color pixels for color bit depth image compression and decompression | 382/240       |
| 2 |   |   | US<br>B1 | 6671413      | 20031230      | 19        | Embedded and efficient low-complexity hierarchical image coder and corresponding methods therefor                         | 382/240       |
| 3 |   |   | US<br>A  | 6148111      | 20001114      |           | Parallel digital image compression system for exploiting zerotree redundancies in wavelet coefficients                    | 382/240       |
| 4 | × |   | US<br>A  | 6144773      | 20001107      | 31        | Wavelet-based data<br>compression   | 382/240       |

|   | Current<br>XRef                       | Re leva<br>1<br>Classif | Inventor                          | S | C | P | 2 | 3 | 4 | 5 |
|---|---------------------------------------|-------------------------|-----------------------------------|---|---|---|---|---|---|---|
| 1 | 382/166                               |                         | Chao, Hongyang<br>et al.          | Ø |   |   |   |   |   |   |
| 2 |                                       |                         | Pearlman,<br>William A. et<br>al. | ⊠ |   |   |   |   |   |   |
| 3 | 348/408.1<br>;<br>382/234;<br>382/248 |                         | Creusere,<br>Charles David        | × |   |   |   |   |   |   |
| 4 | 382/248;<br>708/203                   |                         | Kolarov,<br>Krasimir D. et<br>al. |   |   |   |   |   |   |   |

|   | Ima<br>D: | age Doc.<br>isplayed | PT |
|---|-----------|----------------------|----|
| 1 | US        | 6711299              |    |
| 2 | US        | 6671413              |    |
| 3 | US        | 6148111              |    |
| 4 | US        | 6144773              |    |

|   | υ | 1 | Document<br>ID   | Issue<br>Date | Page<br>s | Title                                     | Current<br>OR |
|---|---|---|------------------|---------------|-----------|---|---------------|
| 1 | Ø |   | WO 3009234<br>A1 | 20030130      | NA        | METHOD OF WAVELET<br>CODING A MESH OBJECT |               |
| 2 |   |   | WO 9732281<br>A1 | 19970904      | 60        | WAVELET BASED DATA<br>COMPRESSION         |               |

|   | Current<br>XRef | Receieva<br>l<br>Classif | Inventor                         | S | C | P | 2 | 3 | 4 | 5 |
|---|-----------------|--------------------------|----------------------------------|---|---|---|---|---|---|---|
| 1 |                 |                          | GIOIA, PATRICK                   |   |   |   |   |   |   |   |
| 2 |                 |                          | KOLAROV,<br>KRASIMIR D et<br>al. | ⊠ |   |   |   |   |   |   |

|   |   | Image Doc.<br>Displayed | PT |
|---|---|-------------------------|----|
| , | 1 |                         |    |
| ; | 2 | WO 9732281<br>A1        |    |

|   | ซ | 1 | Document<br>ID        | Issue<br>Date | Page<br>s | Title   | Current<br>OR |
|---|---|---|-----------------------|---------------|-----------|---|---------------|
| 1 |   |   | JP<br>2003085584<br>A | 20030320      | 176       | 3D COMPUTER MODELING<br>APPARATUS   |               |
| 2 | × |   | JP<br>2001098400<br>A | 20010410      | 7         | ELECTROPLATING<br>METHOD AND<br>ELECTROPLATING<br>DEVICE  |               |
| 3 |   |   | EP 1134702<br>A2      | 20010919      | 32        | Method for<br>processing nodes in<br>3D scene and<br>apparatus thereof                                |               |
| 4 |   |   | WO 9964961<br>A1      | 19991216      | 72        | METHOD AND SYSTEM FOR CAPTURING AND REPRESENTING 3D GEOMETRY, COLOR AND SHADING OF FACIAL EXPRESSIONS |               |

|   | Current<br>XRef | Re lieva<br>l<br>Classif | Inventor                   | S | C | P | 2 | 3 | 4 | 5 |
|---|-----------------|--------------------------|----------------------------|---|---|---|---|---|---|---|
| 1 |                 |                          | BAUMBERG, ADAM M<br>et al. | Ø |   |   |   |   |   |   |
| 2 |                 |                          | TSUJI, HIROKI et<br>al.    |   |   |   |   |   |   |   |
| 3 |                 |                          | HAN, MAHN-JIN et<br>al.    | ⊠ |   |   |   |   |   |   |
| 4 |                 |                          | GUENTER, BRIAN<br>et al.   | ⊠ |   |   |   |   |   |   |

|   | Image Doc.<br>Displayed | PΤ |
|---|-------------------------|----|
| 1 | JP<br>2003085584<br>A   |    |
| 2 | JP<br>2001098400<br>A   |    |
| 3 | EP 1134702<br>A2        |    |
| 4 | WO 9964961<br>A1        |    |

ζ

|   | U | 1 | Document<br>ID   | Issue<br>Date | Page<br>s | Title   | Current<br>OR |
|---|---|---|------------------|---------------|-----------|---|---------------|
| 1 |   |   | US 6677949<br>B1 | 20040113      | 10        | Simplifying and encoding a source mesh  | 345/428       |
| 2 |   |   | FR 2781907<br>A  | 20040115      | 10        | Three dimensional image coding method using a source mesh taking into account discontinuities uses a detection stage which compares angles formed by two faces of source mesh with a pre-determined angle |               |

|   | Current<br>XRef | Recieva<br>1<br>Classif | In     | ventor  | S | С | P | 2 | 3 | 4 | 5 |
|---|-----------------|-------------------------|--------|---------|---|---|---|---|---|---|---|
| 1 |                 |                         | Gioia, | Patrick | ⊠ |   |   |   |   |   |   |
| 2 |                 |                         | GIOIA, | P       | × |   |   |   |   |   |   |

,1

|   | Image Doc.<br>Displayed | PT |
|---|-------------------------|----|
| 1 | US 6677949              |    |
| 2 | US 6677949              |    |


,

| L Number | Hits | Search Text | DB      | Time stamp       |
|----------|------|-------------|---------|------------------|
| 1        | 2    | 6677949.pn. | USPAT;  | 2004/07/11 13:36 |
| 1        |      | ·           | DERWENT |                  |



IEEE HOME | SEARCH IEEE | SHOW WEB ACCOUNT | CONTACT IEEE

Publications/Services Standards Conferences Careers/Jobs



**RELEASE 1.8** 

Welcome

# **United States Patent and Trademark Office**

Help FAQ Terms IEEE

Quick Links

» Search

Peer Review

#### Welcome to IEEE Xplores

- O- Home
- O- What Can I Access?
- O- Log-out

### **Tables of Contents**

- ( )- Journals & Magazines
- Conference **Proceedings**
- O- Standards

#### Search

- O- By Author
- O- Basic
- Advanced

#### **Member Services**

- O- Join IEEE
- O- Establish IEEE Web Account
- O- Access the **IEEE Member Digital Library**

#### **IEEE Enterprise**

O- Access the **IEEE Enterprise** File Cabinet

Your search matched 1 of 1049776 documents.

A maximum of **500** results are displayed, **15** to a page, sorted t Relevance in Descending order.

#### Refine This Search:

You may refine your search by editing the current search expres or entering a new one in the text box.

mesh <and> encoding <and> wavelet <and> tree



☐ Check to search within this result set

## **Results Key:**

JNL = Journal or Magazine CNF = Conference STD = Standar

# 1 JPEG2000-based scalable reconstruction of image local regions

Min Sheng Zhong; Zheng Min Ma;

Intelligent Multimedia, Video and Speech Processing, 2001.

Proceedings of 2001 International Symposium on , 2-4 May 200: Pages: 174 - 177

[PDF Full-Text (384 KB)] **IEEE CNF** [Abstract]

#### Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

Web | Images | Directory | Yellow Pages | News | Products

Search ling a source mesh representing a 3D object and limited | Search

Shortcuts Advanced Search Preferences

# Web - (What's new?)

Results 1 - 1 of about 4 for encoding a source mesh

representing a 3D object and limited number of faces defined by vertices and ridges and higher level mesh and condition of affinity of the function. Search took 1.07 seconds. (About this page...)

In order to show you the most relevant results, we have omitted some entries very similar to t If you like, you can <u>repeat the search with the omitted results included</u>.

 Web | Images | Directory | Yellow Pages | News | Products

 Your Search: encoding a source mesh representing a 3D object and limited
 Search

Help us improve your search experience. <u>Send us feedback</u>. Yahoo! Search is hiring! <u>Learn about job opportunities</u> <u>Get free Pop-Up Blocker - Yahoo! Companion Toolbar</u>



Copyright © 2004 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Submit Your Site